HUMAN EVOLUTION: MIGRATIONS

- dangers of making long-term inferences of population persistence based on intensive genetic surveys of only a few populations.
- 26. J. F. Quinn, A. Hastings, Conserv. Biol. 1, 198 (1987).
- L. Quintana-Murci et al., Nature Genet. 23, 437 (1999).
- 28. M. Ingman et al., Nature 408, 708 (2000)
- 29. P. A. Underhill et al., Nature Genet. 26, 358 (2000).
- 30. See work by H. R. Pulliam [in Population Dynamics in Ecological Space and Time, O. E. Rhodes, R. K. Chesser, M. H. Smith, Eds. (Univ. of Chicago Press, Chicago, 1996), pp. 45–69] for a full discussion of source-sink dynamics and theoretical, demographic, and genetic consequences impacting widespread populations occurring in different habitats. A recent report of the reproductive success of Dogon women in Mali by Beverly Strassmann (paper presented at the 8th International Behavioral Ecology Congress, Zurich, 8 to 12 August 2000) identifies the cost of polygyny as increasing the odds ratio four- to sixfold for the death of children as additional wives are added, yielding the insight that offspring mortality, not fertility, often determines reproductive success in human females.
- G. Issac, in Models in Archaeology, D. L. Clarke, Ed. (Methuen, London, 1972), p. 167–199.
- 32. In discussing the distribution and abundance of taxa, various authors, including Darwin, noted that one species within a given genus often has a more extensive range and a larger total population size than other closely related species. Ecological factors that correlate with abundance help to define the niche dimensions of a group and the spatial scale on which dispersal should be measured. Species-specific requirements and environmental factors that immediately affect survival, reproduction, and dispersal critically determine the geographic range and abundance of individuals within that range. Such logic emphasizes the close link between demography and realistic population genetic models of migration. If the human effective population size was only 10,000 for most of its history, migration rates linking all isolates in a stepping-stone model of genetic population structure are clearly unrealistic for the vast distances across which humans were dispersed. Analysis of average pairwise differences (mismatch distributions) among huntergatherer mtDNA sequences taken from populations on a

- global scale [L. Excoffier, S. Schneider, Proc. Natl. Acad. Sci. U.S.A. 96, 10597 (1999)] reveals a striking pattern of expanding versus contracting or stable populations. Recent expansion is closely associated with the adoption of agriculture. This is a major reason why human populations are not in Hardy-Weinberg equilibrium for selected alleles at many loci, as the SNP data set reveals. For more extensive coverage, see J. H. Brown's Macroecology (Univ. of Chicago Press, Chicago, 1995).
- 33. P. Sunnucks, *Trends Ecol. Evol.* **15**, 199 (2000).
- 34. M. Ruhlen, *The Origin of Language* (Wiley, New York,
- 35. R. G. Roberts, R. Jones, M. A. Smith Antiquity 69, 611 (1994). Colonization of Oceania by modern humans in this early phase apparently stopped at the Solomons archipelago about 30,000 yr B.P., near an important biogeographic barrier to dispersal identified by Alfred Wallace in the late 1800s.
- P. Bellwood, The Prehistory of the Indo-Malaysian Archipelago, (Univ. of Hawaii Press, Honolulu, ed. 2, 1997).
- 37. J. M. Diamond. Nature 336, 307 (1988).
- 38. J. Terrell. Antiquity 62, 642 (1988).
- M. Richards, S. Oppenheimer, B. Sykes, Am. J. Hum. Genet. 63, 1234 (1998).
- 40. D. A. Merriwether et al., Am. J. Phys. Anthropol. 110, 243 (1999).
- R. Blust, in Selected Papers from the Eighth International Conference on Austronesian Linguistics, E. Zeitoun, P. J. Li, Eds. (Academia Sinica, Taipei, Taiwan, 1997), p. 31.
- 42. R. D. Gray, F. M. Jordan, Nature 405, 1052 (2000).
- 43. B. Su et al., Proc. Natl. Acad. Sci. U.S.A. 97, 8225 (2000).
- 44. S. Bonatto, F. M. Salzano, Proc. Natl. Acad. Sci. U.S.A. 94, 1866 (1997). Genetic diversity values within populations are often used to make inferences about the age of the group, especially by using pairwise difference calculations or mismatch distributions. Because most tribal populations have a polyphyletic lineage history, mismatch distributions are a rather indirect way of assessing past dispersal events. Mutation rate heterogeneity can additionally lead one to conclude that a stationary population is actually expanding [D. Aris-Brosou, L. Excoffier, Mol. Biol. Evol. 13, 494 (1996)].

Low haplogroup A diversity in the Na-Dene compared to Amerinds and the lack of B haplogroups in Beringians have been taken as evidence of independent migration events, rather than isolation of a single connected population caused by the blockage of the inland Alberta corridor, with drift and extinction in the north as habitats deteriorated and population sizes fell. Beringia becomes a sink over time in this scenario, replenished only by immigrants from the south on two continents. The failure to find a comparable pattern of similar mtDNA lineage frequencies in Amerinds and modern Siberians demonstrates the replacement of genetic haplotypes in time when a sink population is replenished by multiple sources.

- 45. R. Bonnichsen et al., Mammoth Trumpet **14**, 2 (1999).
- See illustrations in M. Parfit's "Hunt for the First Americans" [Natl. Geogr. 198, 41 (2000)]. Ainu populations have been the focus of investigation by geneticists for over 30 years, after anthropologists speculated that their distinctive morphological characters (large body size and heavy facial hair) linked them more closely with Caucasians, compared to other Japanese and additional mainland Asian populations. There is no compelling genetic evidence that the Ainu are anything other than an Asian population isolate of long standing. The discovery of mitochondrial haplogroup X in paleo-Americans, a rare lineage in the modern Americas [R. D. Easton et al., Am. J. Hum. Genet. 59, 213 (1996)] and one that is only seen in Europe and Asia Minor, lent credence to the possibility that limited numbers of females and their descendants moved across Europe and Asia directly into North America.
- 47. O. Rickards et al., Am. J. Hum. Genet. 65, 519 (1999).
- I. Hanski, M. E. Gilpin, Metapopulation Biology (Academic Press, New York, 1997).
- 49. M. Krings et al., Nature Genet. 26, 144 (2000).
- P. Gagneux et al., Proc. Natl. Acad. Sci. U.S.A. 96, 5077 (1999).
- R. Green, in *Taratai*, J. Siers, Ed. (Millwood, Wellington, New Zealand, 1977), pp. 220–239.
- D. Lewis, We the Navigators (Univ. of Hawaii Press, Honolulu, 1972), p. 55.
- I thank O. Rickards, K. Lum, J. Dickinson, L. Freed, and S. Seifried for helpful suggestions.

REVIEW

Paleolithic Technology and Human Evolution

Stanley H. Ambrose

Human biological and cultural evolution are closely linked to technological innovations. Direct evidence for tool manufacture and use is absent before 2.5 million years ago (Ma), so reconstructions of australopithecine technology are based mainly on the behavior and anatomy of chimpanzees. Stone tool technology, robust australopithecines, and the genus *Homo* appeared almost simultaneously 2.5 Ma. Once this adaptive threshold was crossed, technological evolution was accompanied by increased brain size, population size, and geographical range. Aspects of behavior, economy, mental capacities, neurological functions, the origin of grammatical language, and social and symbolic systems have been inferred from the archaeological record of Paleolithic technology.

In the movie 2001: A Space Odyssey (1), a savanna-dwelling ape has a eureka-like flash of inspiration when he realizes the awesome power of the bone tool in his hands. He tosses it skyward, where it morphs into a space station at the dawn of this millennium. What

Department of Anthropology, University of Illinois, 109 Davenport Hall, 607 South Mathews Avenue, Urbana, IL 61801, USA. E-mail: ambrose@uiuc.edu

happened between the first tool use by our ape ancestors and the first complex projectile launched into flight with another tool? In this review, conventional wisdom about aspects of Paleolithic technology will be challenged, and new ideas about the coevolution of technology, language, hands, and brains will be proposed.

How did technology influence human evolution? What were the "prime movers" for

the origin and development of Paleolithic technologies? Paleoanthropologists once considered making tools to be one of the defining characteristics of the genus Homo (2). However, the diversity of tool-making and toolusing behaviors among chimpanzees (Pan troglodytes) has forced us to completely revise assumptions surrounding the concept of "man the toolmaker," including those about the gender of the first tool users. Chimpanzees have diverse and regionally varied repertoires of tool-using, tool-making, and other "cultural" behaviors (3–5). In contrast, Cebus monkeys are considered prolific tool users but exhibit no understanding of cause and effect, or of the difference between appropriate and inappropriate tools (6).

Chimpanzees make and use several kinds of tools for extractive foraging (3), including leaf sponges, termite and ant fishing wands and probes, marrow picks, levers, pestles, stick brushes for honey extraction, leaf

scoops, and hooked sticks to extend their reach. West African chimpanzees use wood and stone hammers and anvils for cracking nuts (7). Repeated use produces shallow dimpled and pitted anvils and hammers resembling those made by humans. Sharp-edged stone chips (flakes) are occasionally produced but are not used. Chimpanzee males actively hunt mammals smaller than themselves but rarely use tools during capture and consumption (8). Females exhibit greater persistence and skill in several tool-using activities (7), which suggests that females may have played a leading role in technological evolution. Tool use among forest-dwelling chimpanzees raises questions about Darwin's (9) hypothesis about the role of adaptation to savannas in the origin of technology (10).

Assuming that the behaviors of our closest living relatives could also have been performed by our last common ancestor and its descendants, we can infer that the minimum level of technological capacity of hominids between 5 and 2.5 million years ago (Ma) was comparable to that of chimpanzees. Most tools used by chimpanzees are made of organic materials that are rarely preserved in fossil and archaeological sites. Bipedal locomotion in savanna-dwelling hominids was achieved by 4.2 Ma (11) but was not accompanied by evidence of tool use (12). Broken bones in caves in South Africa, dating from 2.6 to 3.0 Ma, were once considered tools made by Australopithecus africanus (13) but were probably the product of hyenas and other natural agents (14).

The earliest direct evidence of hominid technology dates to 2.5 Ma in the Ethiopian Rift Valley (15, 16), comprising sharp-edged slivers and lumps of stone, hammer stones and anvils, and bones with hammer marks and cut marks from butchery and marrow extraction. This simple technology is named the Oldowan Industrial Complex, after the type localities at Olduvai Gorge (17). Early hominids possessed an excellent empirical understanding of the mechanical properties of lithic raw materials, fracture mechanics, and geometry. Brittle finegrained lava, volcanic glass (obsidian), quartzite, limestone, and flint are isotropic (their mineral structure exerts little influence on the orientation of fractures). Striking a hand-held isotropic block or cobble (a core) with a hammerstone initiates a cone-shaped crack at roughly 60° from the axis of force, exemplified by the hole in a plate glass window made by a pellet gun (18, 19). In order to detach thin sharp-edged flakes, the core must be struck obliquely close to the edge of a platform (Fig. 1). Hominids were highly skilled in direct percussion flaking by 2.5 Ma, consistently producing many well-formed flakes from each core with few misdirected blows (16, 20). Where the available raw materials were mainly quartz pebbles smaller than 2.5 cm across, cores were too small for hand-held direct percussion, so they were placed on an anvil and smashed with a hammerstone (bipolar technique) (21). Interassemblage variability in the Oldowan thus seems to reflect least-effort strategies for obtaining large sharp-edged flakes from available raw materials, rather than culturally determined stylistic traditions (22, 23). Bone tools were usually flaked like stone or were used without intentional modification (17).

Oldowan technology seems simple, reflecting the mental capacities of extant apes (24), but it actually reflects manual skills far exceeding those of chimpanzees. For example, Kanzi, a bonobo (pygmy chimpanzee, Pan paniscus), was apprenticed for 3 years in stone tool flaking by direct percussion of hand-held cores (25, 26) but was unable to strike forcefully and accurately at the correct angle or position on the platform. His small flakes and battered cores did not resemble Oldowan artifacts.

Kanzi used sharp-edged flakes to cut a rope to open a food reward box. He cut slowly, with little downward pressure, moving his whole arm, mainly from the shoulder, with an immobile wrist. Wild chimpanzees also move their arms mainly from the shoulder and elbow when cracking nuts (7). This contrasts dramatically with the human dexterity in precision tool use that is afforded by a mobile wrist. Anatomical limitations on joint motion and power and on precision grips, due to design primarily for quadrupedal and arboreal locomotion (27-29), may account for the poor performance of chimpanzees in stone tool-making and use. Long curved fingers and a short thumb hinder op-

position of their fingertips in a strong pinch grip. Humans have short straight fingers, a long stout thumb, and fingertips with broad fleshy pads underlain by wide apical tufts of bone, which increase stability when gripping small tools. Chimpanzees have narrow fingertips and lack the forearm muscle for powerful thumb flexion. Palm muscles that strengthen the opposable thumb grip are either absent or relatively weakly developed. Australopithecus afarensis (3.8 to 2.9 Ma) had chimpanzee-like narrow fingertips (27), but those of A. africanus (3.0 to 2.6 Ma) may have been more human-like (30). The chimpanzee wrist locks to prevent overextension during knuckle walking, which limits rotation of the wrist (29). This may inhibit wrist motions such as those humans use to throw a fastball, flake stone, and manipulate small tools precisely. Additional biomechanical, myographic, anatomical, and neurological (positron emission tomography scan) studies (27, 28, 31) of the kinematics of chimpanzee and human tool use are needed to evaluate this impression of limited chimpanzee arm and wrist flexibility during tool use.

Meat eating is often considered the prime mover for the adoption of stone tools (8, 32). Cut marks and hammerstone marks on bones of large mammals demonstrate meat and marrow consumption by 2.5 Ma (15, 33, 34). However, microwear polishes on stone flakes demonstrate their use for cutting and scraping wood and for cutting siliceous plants (reeds, sedges, or grasses) in addition to cutting meat (35). Sharp-edged cores also undoubtedly had several potential uses (23). Pointed bone fragments from South African cave sites have




Fig. 1. Flaked stone tool production, illustrating right-handed flakes (32).

polished tips, possibly from perforating soft materials, and coarser abrasions resembling those resulting from digging in stony soil or termite mounds (36, 37). Oldowan technology was an adaptive threshold (22), expanding the abilities of early hominids to modify wood, bone, and other materials and to gain greater access to high-quality food resources, including termite colonies and the meat and marrow of very large thick-skinned mammals. High-quality resources could have fueled the high metabolic energy demands of the large brain of early Homo (38). Social cooperation, needed to gain access to unpredictable risky resources such as scavenged and hunted animal carcasses in the competitive and unpredictable environments of the African savanna, combined with new tools to exploit the environment, may have been important stimuli to mental development (39).

Homo habilis is usually considered the first tool maker. Cranial endocasts show that its left hemisphere has an impression of Broca's area (40, 41). Broca's area is involved in oro-facial fine motor control and language and is adjacent to and probably derived from the area for precise hand motor control (42). Approximately 90% of humans are right-handed, and hand preference is strongest in skilled tool use with the precision grip (43). Individual chimpanzees exhibit long-term consistency of hand preference mainly for complicated tool-using tasks (44), but there is no overall preference for right-handedness at the population level (43).

Handedness may be reflected in flaked




Fig. 2. Acheulean LCTs from Olorgesailie, Kenya. **(A)** Handaxe and **(B)** cleaver (65).

stone tools (45). Right-handed individuals tend to rotate the core clockwise when striking a sequence of overlapping flakes (Fig. 1). Cortex (the weathered cobble surface) is preferentially distributed on the right side of the dorsal flake surface in experimental replication of Oldowan tools by right-handed individuals [by a ratio of 56:44, right:left (R:L) cortex] and in Oldowan artifact assemblages (57:43 R:L) (45). Direct percussion flaking and precise tool use place different demands on the functions of the left and right hands. The left hand grips the core while the right hand strikes the platform accurately and precisely, with well-controlled force. Humans typically hold a worked object with the left hand while using a tool with the right. Chimpanzees show no clear populational laterality for holding versus manipulating (43). Habitual tool-making and tool-using activities involving bimanual coordination of stabilizing objects and precision tool use may have led to lateralization of brain functions and set the stage for the evolution of language.

The hand of *H. habilis* resembles that of modern humans (46). Its brain was significantly larger (600 to 800 cm³) than that of earlier and contemporary australopithecines and extant African apes (450 to 500 cm³), and its teeth were relatively small for its body size (12, 47), suggesting a relation between tool use, quality of diet, and intelligence. However, several small-brained, large-toothed species of "robust" Australopithecus (A. garhi, A. aethiopicus, A. boisei, and A. robustus) were also associated with the Oldowan (15, 48), so the identities of the Oldowan toolmakers and the relationship of technology to anatomy remain open questions. Finger and thumb bones from Swartkrans Cave, South Africa, have the anatomy of tool users (27). If their attribution to A. (Paranthropus) robustus is correct, there was more than one Oldowan tool-making species. Australopithecines were extinct by 1.0 Ma, but typical Oldowan artifact assemblages were made until at least 0.5 Ma (49). Homo erectus/ergaster, with a larger brain and smaller teeth, appeared around 1.8 Ma in Africa (48), but the Oldowan remained unchanged until 1.5

Acheulean Industrial Complex

Large cutting tools (LCTs), typically about 10 to 17 cm long (Fig. 2), were added to the Oldowan toolkit around 1.5 Ma, marking the advent of the Acheulean Industrial Complex. The Acheulean was manufactured by *H. erectus* and its larger-brained descendant *H. heidelbergensis*, and dates between 1.5 and 0.3 Ma (50, 51). With a few exceptions in China and Korea, Acheulean-like industries do not occur east or north of the "Movius Line" (52, 53), which arcs from the India-Bangladesh border to northern England. The dispersal of

H. erectus to east Asia 1.6 to 1.8 Ma (that is, before the invention of the Acheulean) may explain the absence of the Acheulean east of the Movius line (53–55) but does not explain its absence in northern Europe after 0.5 Ma. Early dispersal to Asia may not have been facilitated by Acheulean lithic technology or control of fire.

Large flakes, slabs, and cobbles were shaped into LCTs by bidirectional or unidirectional invasive trimming of lateral edges. Handaxes (Fig. 2A) typically have a teardrop-shaped plan form and a lenticular cross section. Cleavers (Fig. 2B) have a sharp, thin, usually unmodified edge transverse to the long axis (the cleaver bit). Picks and knives have convergent tips, like handaxes. Picks have a thick cross section at the midline, and knives have one thick lateral margin. Microwear studies show that LCTs may have been multipurpose tools (56). Experiments show that they are excellent for heavy-duty butchery, woodworking, and other tasks (35, 57). Acheulean LCTs were probably handheld. Their use as projectiles (58) cannot be discounted but cannot be confirmed. Although the descriptive names imply different functions for handaxes, cleavers, knives, and picks, this notion remains unproved. If the most important functional attribute of LCTs was a long straight cutting edge rather than a finished form, then all LCT classes may have had equivalent functions.

Unlike simple Oldowan stone tools, whose shapes are largely controlled by the primary form, size, and mechanical properties of raw materials (22), LCTs are assumed to reflect arbitrary preconceived designs imposed on a diverse range of primary forms. Bilateral symmetry and the high degree of standardization of handaxe shape over a wide range of sizes imply a well-defined concept of shape and proportion, reflecting higher conceptual and cognitive abilities than in the Oldowan (24, 59). Subclasses of handaxes and cleavers are defined mainly by plan form (60). However, the meaning of variation in the frequencies of classes and subclasses and in the modal sizes and shapes of LCTs between sites is unclear. The shapes of LCTs are usually assumed to conform to the mental template of the cultural group. If so, LCT style can be used to identify regional cultural traditions (61). This assumption is challenged by stochastic variation in the modal sizes and shapes of LCT assemblages at Olduvai Gorge (62) and other site complexes (63–65). Evaluation of the existence of style with Isaac's (22) five-step "method of residuals" (MR), which systematically examines noncultural influences on form first and cultural ones last, suggests that mechanical properties (57, 65); the abundance, size, and shape of available raw materials; the primary form of the blank (flake, cobble, or slab) (65); and the amount of resharpening done (65, 66) account for most interassemblage differences in form modalities. Finished artifact forms may thus be the unintended byproduct of several nonstylistic factors rather than intended target types. For example, flaking a thick cobble of tough raw material will usually produce a pick-like form. Trimming the lateral margins of a large flat flake may initially produce a cleaver, but after several bouts of resharpening, the margins converge to a point, and the cleaver becomes a handaxe. The MR (22) and reduction/resharpening intensity approaches to explaining morphological and typological diversity (67) are useful for all Paleolithic industries. They raise provocative questions about the existence of style in the Acheulean and about functional differences between the four LCT classes. The cultural and cognitive capacities of Acheulean hominids may have been substantially overestimated.

Burned bones from Swartkrans Cave in South Africa suggest that hominids systematically used fire beginning 1.0 to 1.5 Ma (68). Fire would have substantially improved the nutritional qualities of plant and animal foods, among other adaptive advantages (69, 70). Nonlithic Acheulean technology is poorly documented. Bone tools were still shaped mainly by direct percussion. The poor preservation of plant materials effectively hides an important dimension of Paleolithic technology. The oldest wood tools are well-made javelin-like spears dated ~0.4 Ma, from Schöningen, Germany (71).

During the later Acheulean, LCTs became more refined in shape, in part reflecting flaking with soft hammers of hardwood or bone, which make straighter edges and more regular plan forms (51). However, refinement does not always correlate with age, because poor raw materials produce unrefined artifacts (57, 65). New strategies of tool manufacture and regionally distinct industries appeared at the end of the Acheulean, around 0.3 to 0.5 Ma (72). Cores were carefully shaped by variants of the Levallois prepared core technique (named after a suburb of Paris) to produce very large flakes that were close to the finished form, and blades were struck from prismatic cores (72-74). Large, thick-core axes, picks, and lances in the Sangoan industry suggest a new emphasis on heavy-duty woodworking in tropical Africa

Middle Paleolithic Technologies

Technological and cultural evolution accelerated ~300,000 years ago (300 ka), during the Middle Paleolithic (MP) and its sub-Saharan African correlate, the Middle Stone Age (MSA). These advances were made by Neanderthals, late archaic humans, and anatomically modern humans (72, 76). Regional stylistic and technological variants are clearly

identifiable, suggesting the emergence of true cultural traditions and culture areas (77). LCTs were supplanted by smaller tools from Levallois and radial cores (Fig. 3). Levallois core technology is a sophisticated strategy for efficiently producing relatively standardized artifacts, and may reflect more complex cognitive abilities (78). Stemmed (tanged) points and other tools (77), microwear traces from mounts (79), and organic residues of mastic (80) indicate hafted composite tools, probably as early as the Acheulean to the MP/MSA transition. Stone-tipped spears, knives, and scrapers mounted in shafts and handles represent an order-of-magnitude increase in technological complexity that may be analogous to the difference between primate vocalizations and human speech.

Hand-held Oldowan and Acheulean tools are single techno-units made by reduction (percussion flaking of stone and scraping and whittling of wood), but composite tools are conjunctions of at least three techno-units, involving the assembly of a handle or shaft, a stone insert, and binding materials (8I). Reductive technol-

ogies are linear sequences of behaviors (24) that involve predominantly repetitive coarse motor control (percussion flaking). Primate vocalizations are also repetitive sequences of coarse motor actions. Conjunctive technologies are hierarchical and involve nonrepetitive fine hand motor control to fit components to each other. Assembling techno-units in different configurations produces functionally different tools. This is formally analogous to grammatical language, because hierarchical assemblies of sounds produce meaningful phrases and sentences, and changing word order changes meaning. Speech and composite tool manufacture involve sequences of nonrepetitive fine motor control and both are controlled by adjacent areas of the inferior left frontal lobe (42, 82). A composite tool may be analogous to a sentence, but explaining how to make one is the equivalent of a recipe or short story. If composite tool manufacture and grammatical language coevolved ~300 ka, then Neanderthals and modern humans could speak. This is consistent with reconstructions of fossil hominid vocal tracts that suggest that their last common ances-




Fig. 3. Levallois core technology. A tortoise core, illustrating (A) the main Levallois flake, (B) the geometry of the upper and lower faces, and (C) the stages of reduction to produce additional Levallois flakes (101).

tor, H. heidelbergensis, could also speak (83).

The acquisition and modification of each component of a composite tool involve planned sequences of actions that can be performed at different times and places, such as flaking a stone point, cutting and shaping a wooden shaft, and collecting and processing binding materials. The complex problem solving and planning demanded by composite tool manufacture may have influenced the evolution of the frontal lobe. Functional magnetic resonance imaging demonstrates that the frontopolar prefrontal cortex selectively activates only when imagining a main objective while performing related secondary tasks (84). Switching between unrelated tasks has no effect. Composite tool manufacture demands the planning and coordination of different kinds of subsidiary tasks and may have coevolved with this frontal lobe parallel processing module.

Upper Paleolithic Technologies

Although blade-based lithic technologies occurred throughout the MSA/MP (72-74, 85), more sophisticated ones appeared around 50 ka in East Africa and the Levant (85, 86). Blade production substantially increases the number of usable sharp edges that can be obtained from a core. Standard-

ized blade blanks were shaped into a diverse array of functionally and stylistically distinct tool types (Fig. 4), often as components of tools of greater complexity (81). Of greater significance are ground, polished, drilled, and perforated bone, ivory, antler, shell, and stone, shaped into projectiles, harpoons, buttons, awls, needles, and ornaments. Such artifacts are extraordinarily rare in MP/MSA sites but are a consistent feature of Upper Paleolithic (UP) and Later Stone Age (LSA) sites after 40 ka (72, 76). Bone, antler, and ivory are far less brittle than stone and make very reliable, durable armatures for projectile weapons (87). The spear thrower dramatically extended the power and velocity of a projectile, transforming a short-range attack weapon into a deadly missile. Traces of more perishable materials, including string and woven fibers that may have been made into nets, ropes, bags, and clothing are also well documented (88). These innovations are among many that signify modern human behavior, including art, ornamentation, symbolism, ritual burial, sophisticated architecture, land use planning, resource exploitation, and strategic social alliances, and may have originated in Africa during




Fig. 4. Later Stone Age backed blades (A to D), dated 40 to 50 ka, and thumbnail scrapers (E to H), dated 35 to 40 ka, from Enkapune Ya Muto rockshelter, Kenya (86). The stippling on (A) to (D) indicates red ochre residues, probably from mastic. (D) was hafted parallel to the long axis with the sharp edge exposed.

the late MSA/MP (72, 86). Among the important consequences of this diverse new technological repertoire were increases in population density, reflected indirectly by the genetic structure of living human populations (89) and by intensified exploitation of small prey (90, 91); expansion to higher, colder latitudes and altitudes (76); the dispersal of modern humans from Africa to Eurasia and Australia (by watercraft) 50 to 70 ka (92); and the accelerated extinction of Late Pleistocene megafauna (93) and archaic humans (86).

Conclusion

The Oldowan and Acheulean industrial complexes are remarkable for their slow pace of progress between 2.5 and 0.3 Ma and for limited mobility and regional interaction. Distances of stone tool raw materials from their geological sources are rarely more than 10 km in the Oldowan and 20 km in the Acheulean (94), indicating very small home ranges. The proportions of materials originating from 40 to >300 km away increase during the late MP/MSA and early UP/LSA (95, 96), suggesting larger home ranges and regional interaction and exchange networks that could have facilitated long-distance population movements. Did the challenges posed by the increasingly variable, severe, and risky environments of glacial/interglacial cycles over the past 800,000 years (97-99), as well as more dramatic short-term climatic events (100), influence behavioral and biological evolution? Or were changes increasingly autocatalytic, driven by language and by cultural systems of knowledge and understanding of nature and society? With the appearance of near-modern brain size, anatomy, and perhaps of grammatical language ~ 0.3 Ma, the pace quickens exponentially, suggesting the latter. Ex terra ad astra: A mere 12,000 years separate the first bow and arrow (87) from the International Space Station.

References and Notes

- 1. S. Kubrick, 2001: A Space Odyssey (Warner Brothers, Hollywood, CA, 1968).
- 2. K. P. Oakley, Man the Tool-Maker (British Museum, London, ed. 3, 1956).
- W. C. McGrew, Chimpanzee Material Culture (Cambridge Univ. Press, Cambridge, 1992).
- 4. A. Whiten et al., Nature 399, 682 (1999).
- 5. C. P. Van Schaik, R. O. Deaner, M. Y. Merrill, J. Hum. Evol. 36, 719 (1999).
- R. Byrne, in Creativity in Human Evolution and Prehistory, S. Mithen, Ed. (Routledge, London, 1998), pp.
- C. Boesch, H. Boesch, J. Hum. Evol. 13, 415 (1984).
- 8. C. B. Stanford, Am. Anthropol. 98, 96 (1996)
- C. Darwin, The Descent of Man (Murray, London, 1871).
- 10. H. Boesch-Achermann, C. Boesch, Evol. Anthropol. 3, 9 (1994).
- 11. M. G. Leakey, C. S. Feibel, I. McDougall, A. Walker, Nature 376, 565 (1995).
- 12. G. L. Isaac, in Evolution from Molecules to Men. D. S. Bendall, Ed. (Cambridge Univ. Press, Cambridge, 1983), pp. 509-543.
- 13. R. A. Dart, in Third Pan-African Congress on Prehis-

HUMAN EVOLUTION: MIGRATIONS

- tory, Livingstone, J. D. Clark, S. Cole, Eds. (Chatto &
- Windus, London, 1957), pp. 161–171. 14. C. K. Brain, *The Hunters or the Hunted? An Introduc*tion to African Cave Taphonomy (Univ. of Chicago Press, Chicago, 1981).
- 15. J. de Heinzelin et al., Science 284, 625 (1999).
- 16. S. Semaw, J. Archaeol. Sci. 27, 1197 (2000).
- 17. M. D. Leakey, Olduvai Gorge, Vol. III (Cambridge Univ. Press, Cambridge, 1971).
- B. Cotterell, J. Kamminga, in Lithic Use Wear Analysis, B. Hayden, Ed. (Academic Press, San Diego, CA, 1979), pp. 97-112.
- 19. B. R. Lawn, D. B. Marshall, in Lithic Use Wear Analysis, B. Hayden, Ed. (Academic Press, San Diego, CA, 1979), pp. 63–82.
- 20. H. Roche et al., Nature 399, 57 (1999).
- 21. H. V. Merrick, in Human Origins. Louis Leakey and the East African Evidence (Benjamin, Menlo Park, CA, 1976), pp. 461-481.
- 22. G. L. Isaac, in Stone Age Prehistory, G. N. Bailey, P. Callow, Eds. (Cambridge Univ. Press, Cambridge, 1986), pp. 221–241.
- 23. N. Toth, J. Archaeol. Sci. 12, 101 (1985).
- 24. T. Wynn, Camb. Archaeol. J. 1, 191 (1991).
- 25. N. Toth et al., J. Archaeol. Sci. 20, 81 (1993).
- 26. K. D. Schick et al., J. Archaeol. Sci. 26, 821 (1999).
- 27. R. L. Susman, J. Hum. Evol. 35, 25 (1998).
- 28. M. W. Marzke, R. F. Marzke, J. Anat. 197, 121 (2000).
- 29. B. G. Richmond, D. S. Strait, Nature 404, 382 (2000).
- 30. D. E. Ricklan, in From Apes to Angels: Essays in Anthropology in Honour of Phillip V. Tobias, G. H. Sperber, Ed. (Wiley-Liss, New York, 1990), pp. 171-
- 31. D. Stout, N. Toth, K. Schick, J. Stout, G. Hutchins, J. Archaeol. Sci. 27, 1215 (2000).
- 32. K. D. Schick, N. Toth, Making Silent Stones Speak (Simon & Schuster, New York, 1993).
- 33. H. T. Bunn, Nature 291, 574 (1981).
- 34. R. J. Blumenschine, M. M. Selvaggio, Nature 333, 763 (1988).
- 35. L. H. Keeley, N. Toth, Nature 293, 464 (1981).
- 36. C. K Brain et al., S. Afr. J. Sci. 84, 828 (1988).
- 37. L. R. Backwell, F. d'Errico, Proc. Natl. Acad. Sci. 98, published online at 10.1073/ pnas.021551598 (2001).
- 38. L. C. Aiello, P. Wheeler, Curr. Anthropol. 36, 199 (1995).
- 39. K. Milton, Am. Anthropol. 83, 534 (1981).
- 40. P. V. Tobias, Olduvai Gorge, Vol. 4 (Cambridge Univ. Press, Cambridge, 1991).
- 41. D. Falk, Science 221, 1072 (1983).
- 42. P. M. Greenfield, Behav. Brain Sci. 14, 531 (1991).
- 43. W. C. McGrew, L. F. Marchant, in Great Ape Societies, W. C. McGrew, L. F. Marchant, T. Nishida, Eds. (Cambridge Univ. Press, Cambridge, 1966), pp. 255-
- 44. T. Matsuzawa, in Great Ape Societies, W. C. McGrew, L. F. Marchant, T. Nishida, Eds. (Cambridge Univ. Press, Cambridge, 1966), pp. 196-209.

- 45. N. Toth, *J. Hum. Evol.* **14**, 607 (1985). 46. J. Napier, *Nature* **196**, 409 (1962).
- 47. D. Pilbeam, S. J. Gould, Science 186, 892 (1974).
- 48. B. Wood, B. G. Richmond, J. Anat. 196, 19 (2000). This article contains a comprehensive survey of the chronology, taxonomy, paleobiology, and phylogeny of hominids.
- 49. J. D. Clark et al., Science 264, 1907 (1994).
- 50. B. Asfaw et al., Nature 360, 732 (1992).
- J. D. Clark, in Integrative Paths to the Present, R. S. Corruccini, R. L. Ciochon, Eds. (Prentice-Hall, Englewood Cliffs, NJ, 1994), pp. 451-469.
- 52. H. Yamei et al., Science 287, 1622 (2000).
- K. D. Schick, in Integrative Paths to the Past, R. L. Ciochon and J. G. Fleagle, Eds. (Prentice-Hall, Englewood Cliffs, NJ), pp. 569-596.
- 54. L. Gabunia et al., Science 288, 1019 (2000).
- 55. C. G. Swisher III et al., Science 263, 1118 (1994).
- L. Keeley, Experimental Determination of Stone Tool Uses (Univ. of Chicago Press, Chicago, 1980).
- 57. P. R. Jones, Philos. Trans. R. Soc. London Ser. B 292, 189 (1981).
- 58. E. M. O'Brien, Curr. Anthropol. 22, 76 (1981).
- 59. J. A. J. Gowlett, in Hominid Evolution and Community Ecology, R. A. Foley, Ed. (Academic Press, London, 1984), pp. 167-192.
- M. R. Kleindienst, in Actes du IVe Congrés Panafricain de Préhistoire, G. Mortelmans, J. Nenquin, Eds. (Tervuren, Belgium, 1962), pp. 81-105.
- 61. T. Wynn, F. Tierson, Am. Anthropol. 92, 73 (1990).
- 62. M. D. Leakey, in After the Australopithecines: Stratigraphy, Ecology and Culture Change in the Middle Pleistocene, K. W. Butzer, G. L. Isaac, Eds. (Mouton, The Hague, Netherlands, 1975), pp. 477-493.
- G. L. Isaac, in Models in Archaeology, D. L. Clarke, Ed. (Methuen, London, 1972), pp. 167-200.
- 64. G. L. Isaac, Olorgesailie (Univ. of Chicago Press, Chicago, 1977).
- 65. M. P. Noll, thesis, Univ. of Illinois Urbana-Champaign (2000).
- 66. S. P. McPherron, J. Archaeol. Sci. 27, 655 (2000).
- 67. H. L. Dibble, J. Archaeol. Method Theory 2, 299
- 68. C. K. Brain, in Swartkrans, C. K. Brain, Ed. (Monograph No. 8, Transvaal Museum, Pretoria, South Africa, 1983), pp. 229-242. Burned bones are absent from artifact- and fossil-rich Members 1 and 2 (\sim 2.0 to 1.5 Ma) but are abundant in Member 3.
- 69. A. Stahl, Curr. Anthropol. 25, 151 (1984).
- 70. J. D. Clark, J. W. K. Harris, Afr. Archaeol. Rev. 3, (1985).
- 71. H. Thieme, Nature 385, 807 (1997).
- 72. S. McBrearty, A. S. Brooks, J. Hum. Evol. 39, 453 (2000).
- 73. M. Leakey, P. V. Tobias, J. E. Martyn, R. E. F. Leakey, Proc. Prehist. Soc. 35, 48 (1969).
- 74. A. J. Jelinek, in The Emergence of Modern Humans, P. Mellars, Ed. (Edinburgh Univ. Press, Edinburgh, 1990), pp. 81-90.

- 75. J. D. Clark, Kalambo Falls Prehistoric Site, Vol. 2 (Cambridge Univ. Press, Cambridge, 1974).
- 76. R. G. Klein, The Human Career (Univ. of Chicago Press, Chicago, ed. 2, 1999).
- 77. J. D. Clark, Philos. Trans. R. Soc., London B337, 201 (1992)
- 78. H. L. Dibble, O. Bar-Yosef, The Definition and Interpretation of Levallois Technology (Prehistory Press, Madison, WI, 1995).
- 79. P. Anderson-Gerfaud, in The Emergence of Modern Humans, P. Mellars, Ed. (Edinburgh Univ. Press, Edinburgh, 1990), pp. 389-418.
- 80. E. Boëda et al., Nature 380, 336 (1996).
- W. H. Oswalt, An Anthropological Analysis of Food-Getting Technology (Wiley Interscience, New York,
- 82. D. Kempler, in Tools, Language and Cognition in Human Evolution, K. R. Gibson, T. Ingold, Eds. (Cambridge Univ. Press, Cambridge, 1992), pp. 193-215.
- 83. P. Lieberman, in The Human Revolution, P. Mellars, C. Stringer, Eds. (Edinburgh Univ. Press, Edinburgh, 1989) pp. 391-414.
- 84. E. Koechlin, G. Basso, P. Pietrini, S. Panzer, J. Grafman, Nature 399, 148 (1999).
- 85. O. Bar-Yosef, S. Kuhn, Am. Anthropol. 101, 322 (1999).
- 86. S. H. Ambrose, J. Archaeol. Sci. 25, 377 (1998).
- 87. H. Knecht, *Projectile Technology* (Plenum, New York, 1997).
- 88. O. Soffer et al., Antiquity 74, 812 (2000).
- H. C. Harpending, S. T. Sherry, A. L. Rogers, M. Stoneking, Curr. Anthropol. 34, 483 (1993).
- 90. R. G. Klein, in The Human Revolution, P. Mellars, C. Stringer, Eds. (Edinburgh Univ. Press, Edinburgh, 1989), pp. 529-546.
- 91. M. C. Stiner, N. D. Munro, T. A. Surovell, E. Tchernov, O. Bar-Yosef, Science 283, 190 (1999).
- 92. M. Lahr, R. Foley, Evol. Anthropol. 3, 48 (1994).
- 93. G. H. Miller et al., Science 283, 205 (1999).
- 94. R. L. Hay, Geology of the Olduvai Gorge (Univ. of California Press, Berkeley, CA, 1976).
- 95. J. Féblot-Augustins, in The Middle Paleolithic Occupation of Europe, W. Roebroeks, C. Gamble, Eds. (Univ. of Leiden Press, Leiden, 1999), pp. 193–214.
- 96. S. H. Ambrose, in Settlement Dynamics of the Middle Paleolithic and Middle Stone Age, N. Conard, Ed. (Kerns Verlag, Tübingen, Germany, in press). 97. R. Potts, Evol. Anthropol. 7, 81 (1998).
- 98. R. Potts, *Yearb. Phys. Anthropol.* **41**, 93 (1998). 99. P. B. DeMenocal, *Science* **270**, 53 (1995).
- 100. S. H. Ambrose, *J. Hum. Evol.* 34, 623 (1998).
 101. N. Schlanger, in *The Ancient Mind*, C. Renfrew, E. B.
- Zubrow, Eds. (Cambridge Univ. Press, Cambridge, 1994), pp. 143–151.
- I thank S. Leigh, M. Noll, B. Richmond, O. Soffer, N. Toth, and three anonymous reviewers for valuable discussion and comments, and K. Schick, N. Toth, M. Noll, and N. Schlanger for permission to use their illustrations.

Enhance your AAAS membership with the Science Online advantage.

- Full text Science—research papers and news articles with hyperlinks from citations to related abstracts in other journals before you receive Science in the mail.
- ScienceNOW—succinct, daily briefings, of the hottest scientific, medical, and technological news.
- Science's Next Wave—career advice, topical forums, discussion groups, and expanded news written by today's brightest young scientists across the world.
- Science ON LINE
- Research Alerts—sends you an e-mail alert every time a Science research report comes out in the discipline, or by a specific author, citation, or keyword of your choice.
- Science's Professional Network—lists hundreds of job openings and funding sources worldwide that are quickly and easily searchable by discipline, position, organization, and region.
- Electronic Marketplace—provides new product information from the world's leading science manufacturers and suppliers, all at a click of your mouse.

All the information you need.....in one convenient location.

Visit Science Online at http://www.scienceonline.org, call 202-326-6417, or e-mail membership2@aaas.org for more information.

AAAS is also proud to announce site-wide institutional subscriptions to Science Online. Contact your subscription agent or AAAS for details.

